

ARITERM PELLET SYSTEM



■ KMP Mysinge – tradition and elegance

KMP Mysinge has a cast iron front, top and sides in a traditional design that will last for years and years. The generous glass sections of both models mean that the flames can be seen from several angles.

KMP Mysinge are developed and manufactured in Sweden and imbued with a feeling of genuine quality. As an option, three different types of natural stone are available for the top and sides in order to give a more personal stamp.

The stove lights itself

The KMP stoves are designed to work as a primary heat source. A high level of efficiency, in combination with automatic operation, means that the stove replaces up to 80% of the heating in a normal family house with electricity as the heating source.

The KMP Mysinge fans and patented fuel-feeding system make them the quietest pellet stoves on the market. The desired room temperature is easily regulated from the control panel. During thermostatic operation the stove is ignited and extinguished automatically in order to maintain the correct temperature.

Filling with pellets is simple, through the hatches on the top of the stove. The capacious hopper enables the stove, in a normal family house, to burn for 1-2 days before having to be refilled.

Chimney or not?


The stove can be installed without a traditional chimney if your home does not have one. The solution that makes this possible is called KMP Draft, which is a patent-pending fan controlled flue gas duct that goes straight out through the wall. Even connection to a traditional chimney, new or old, is extremely easy as only one operation is needed for upward or backward connection.

ARITERM SWEDEN AB

Flottiljvägen 15, SE-392 41 Kalmar

www.ariterm.se

PELLET STOVE KMP MYSINGE



Technical data		
Output (min-max)	kW	3,5-6
Pellet hopper	litres	38
Burning time	hours	18-40
Efficiency level	%	approx. 93
Mains connection		230V, earthed
Flue pipe diameter	mm	76
Weight	kg	approx. 138
Noise level	dB	< 45


Optional extras:

- Top and side panels in natural stone
- Ash cyclone for vacuum cleaner
- Glass floor protection
- Water jacket
- Emergency power pack

kmp



KMP MYSINGE
Optionally equipped with black limestone top and sides.



Control panel:

The control panel has a display and adjustment dial:

- The display shows the operating mode and the current temperature. Explanatory text scrolls through the display every 5 seconds.
- The adjustment dial is used by pressing or turning.
 - Turn it to scroll through the menu or change the value when adjusting.
 - Pushing once makes a selection in the menu.
 - To ignore the change wait 4 seconds and the alue is reset.

As an option, the top and sides of the stove can be obtained in soapstone, rustic grey limestone or polished black limestone.

Soapstone

Grey limestone

Black limestone

ARITERM PELLET SYSTEM

ARITERM

For a sustainable future



■ PELLET STOVE KMP LILLA FRÖ

■ Tradition and elegance - in a small format

Despite its small size and light weight, KMP Lilla Frö is a fully grown stove with a proper pellet store, that gives a long burn time with the same efficiency as KMP's other stoves.

KMP Lilla Frö has black-painted, sheet metal plate top and sides and the front is stainless steel.

KMP Lilla Frö is developed and manufactured in Sweden and imbued with a feeling of genuine quality. The stove is designed and shaped for most home environments. KMP Lilla Frö is an easy to care for and good value choice that produces a pleasant heat and extra cosy feeling in week-end cottages and small houses.

The stove lights itself

The KMP stoves are designed to work as a primary heat source. A high level of efficiency, in combination with automatic operation, means that the stove replaces up to 80% of the heating in a normal family house with electricity as the heating source.



The desired room temperature is easily regulated from the control panel. During thermostatic operation the stove is ignited and extinguished automatically in order to maintain the correct temperature. Different temperatures can be programmed using the digital controls. Perhaps you want it to be extra warm and snug in the morning and evenings but cooler by day and night. With Ariterm's own controls you can get it exactly how want it.

Filling with pellets is simple, through the hatch on the top of the stove. The capacious hopper enables the stove, in a normal family house, to burn for 1-2 days before having to be refilled.

ARITERM SWEDEN AB

Flottiljvägen 15, SE-392 41 Kalmar

www.ariterm.se



Control panel:

The control panel has a display and adjustment dial:

- The display shows the operating mode and the current temperature. Explanatory text scrolls through the display every 5 seconds.
- The adjustment dial is used by pressing or turning.
 - Turn it to scroll through the menu or change the value when adjusting.
 - Pushing once makes a selection in the menu.
 - To ignore the change wait 4 seconds and the value is reset.

Technical data		
Output (min-max)	kW	2-5
Pellet hopper	litres	33
Burning time	hours	33-35
Efficiency level	%	approx. 93
Mains connection		230V, earthed
Flue pipe diameter	mm	76
Weight	kg	70
Noise level	dB	< 45

Optional extras:

- Ash cyclone for vacuum cleaner
- Glass floor protection
- Emergency power pack

ARITERM PELLET SYSTEM

ARITERM

For a sustainable future



PELLET STOVE KMP EKERUM

■ KMP Ekerum - modern and timeless

KMP Ekerum, designed by Fredrik Fyhr and Fredrik Svensson, is stylish, decorative and modern. The design of the front is as natural as it is distinctive and the large window gives the viewer an optimal view of the fire.

The opening top and carefully designed base also contribute to the light and airy impression. KMP Ekerum is developed and manufactured in Sweden. The result is a high quality, elegant and timeless stove with a Scandinavian feel which is easy to position and maintain.

The stove is made of painted sheet metal and aluminium. The top and front are available in six different colours. The sides and base are painted in a discrete graphite grey nuance.

Controlled heating on your conditions

The KMP stoves are P-marked and their fans and patented fuel-feeding system make them the quietest pellet stoves on the market.

KMP Ekerum is developed to work as a primary heat source.

A high level of efficiency, in combination with automatic operation, means that the stove replaces up to 80 % of the heating in a normal family house with, for example, electricity as heating source. The room temperature can be set easily on the control panel and with thermostat regulated operation, the stove is lit and extinguished automatically to maintain the set temperature.

Refilling pellets is easily performed by sliding the top forwards to access the hopper. The capacious hopper enables the stove, in a normal family house, to burn for 1-2 days before having to refill.



With or without chimney...

KMP Ekerum can be installed without a traditional chimney if your home does not have one. The solution that makes this possible is called KMP Drag, which is a patent-pending fan controlled flue gas duct that goes straight out through the wall. Even connection to a traditional chimney, new or old, is extremely easy as only one operation is needed for upward or backward connection.


ARITERM SWEDEN AB

Flottiljvägen 15, SE-392 41 Kalmar

www.ariterm.se




BASIC RANGE




Polished black


TREND RANGE




Blood red




Soft white



Sky blue



Silver metallic



Pastel green

Note that the colours may appear different in real life than in print. To view any colour samples, please contact one of our stove dealers.

Technical data		
Output (min-max)	kW	3,5-6
Pellet hopper	litres	38
Burning time	hours	18-40
Efficiency level	%	ca 93
Mains connection	230V, earthed	
Flue pipe diameter	mm	76
Weight	kg	100-125
Noise level	dB	< 45

Optional extras:

- Ash cyclone for vacuum cleaner
- Glass floor protection
- Water jacket
- Emergency power pack



ARITERM PELLET SYSTEM

ARITERM

For a sustainable future



■ KMP Neptuni - unique and challenging

Challenge your senses with modern and newly created design by Fredrik Fyhr and Fredrik Svensson. The source of KMP Neptuni's special appearance is the ellipse shaped glass and the pillar shaped hot air exhaust. The stove is developed and manufactured in Sweden and breaks from traditional design to challenge the viewer's senses. The opening top and carefully designed base contribute to the light and airy impression. The result is an elegant and sober stove that is both easy to position and easy to maintain.

KMP Neptuni is made of painted sheet metal and aluminium. The top and front are available in six different colours. The sides and base are painted in a discrete graphite grey nuance.

Heat your home automatically

The KMP stoves are P-marked and their fans and patented fuel-feeding system make them the quietest pellet stoves on the market.

KMP Neptuni is designed to work as a primary heat source. A high level of efficiency, in combination with automatic operation, means that the stove replaces up to 80 % of the heating in a normal family house with, for example, electricity as heating source. The room temperature can be set easily on the control panel and with thermostat regulated operation, the stove is lit and extinguished automatically to maintain the set temperature.

Refilling pellets is from above by sliding the top forwards to access the hopper. The capacious hopper enables the stove, in a normal family house, to burn for 1-2 days before having to refill.



With or without chimney...

KMP Neptuni can be installed without a traditional chimney if your home does not have one. The solution that makes this possible is called KMP Drag, which is a patent-pending fan controlled flue gas duct that goes straight out through the wall. Even connection to a traditional chimney, new or old, is extremely easy as only one operation is needed for upward or backward connection.


ARITERM SWEDEN AB

Flottiljvägen 15, SE-392 41 Kalmar

www.ariterm.se




BASIC RANGE




Polished black


TREND RANGE




Blood red




Soft white



Sky blue



Silver metallic



Pastel green

Note that the colours may appear different in real life than in print. To view any colour samples, please contact one of our stove dealers.

Technical data

Output (min-max)	kW	3,5-6
Pellet hopper	litres	38
Burning time	hours	18-40
Efficiency level	%	approx. 93
Mains connection		230V, earthed
Flue pipe diameter	mm	76
Weight	kg	100-125
Noise level	dB	< 45

Optional extras:

- Ash cyclone for vacuum cleaner
- Glass floor protection
- Water jacket
- Emergency power pack

